



## Technical Data Sheet-BC

**BC-4** (Fire resistant) Adjustable from 85 to 140 mm

### **COMPONENTS**

BC-4 is composed of 2 pieces: BC-Top + BC-Base

## **CHARAC**TERISTICS

Top: ø 145 mm, 165 cm<sup>2</sup> Base: ø 200 mm, 314 cm<sup>2</sup> Weight: 0,595 kg Height adjustable from 85 to 140 mm


## **MATE**RIAL


Manufactured with Copolymer of Polypropylene (CPP) and fire retardant additives,

Meeting the SCDF fire safety requirements (reference FSR 10:2014 Fire Safety Requirements for use of Plastics in Building Construction - Singapore Civil Fire Defence Force). Classification: B<sub>fl</sub>-s1 Standard(s): EN 13501-1 & EN 45545-2

### PACKAGING

Pieces per carton: 42 pcs Carton weight: 27,15 kg Carton dimension: 600 x 400 x 610 mm Cartons per pallet: 15 pcs Pieces per pallet: 630 pcs Pallet dimensions: 100 x 120 x 220 cm





## **APPLICATIONS**

Buzon BC-FR is manufactured with Fire Retardant additives and can be used, depending on the local requirements, for a wider range of applications, such as terraces, pool decks, and water features and in landscape areas and on rooftops.

#### **Rectangular Tabs**





#### **Circular Tabs**



Thickness: 2, 3, 4.5, 6 and 8mm



Thickness: 2, 4.5, 6, 8 and 10mm



Thickness: 2, 4.5, 6, 8 and 10mm

## COMPRESSION TEST\*

Performed on the full (1/1) and quarter (1/4) surface of the head (1kN=100 kg=224,8 lbF)

| Position | Height (mm) | Breaking load<br>(kN)    | Breaking load<br>(lbF) |
|----------|-------------|--------------------------|------------------------|
| 1/1      | 140         | <b>12,71</b> (1 271 kg ) | 2857                   |
| 1/4      | 140         | <b>7,27</b> (727 kg)     | 1634                   |

\* Tests carried out by SIRRIS

## **SAFETY** INSTRUCTIONS

Buzon pedestals are designed to support external raised floors for pedestrian traffic only and are not designed to support or be subjected to moving and/or vibrating machinery & equipment, including maintenance, cleaning vehicles, automobiles and other similar equipment.

User is to take cognisance of all local lavvs, rules and regulations relevant to its use of all types of Buzon Pedestals including installation, maintenance and/or other relevant processes and ensures that it complies with all such local laws, rules and regulçations.

Buzon will in no event be held liable for all claims, damages, proceedings, demands, losses, expenses whatsoever arising from breach of all such related local rules and regulations in the User's jurisdiction.



Buzon has a policy of continuous improvement and reserves the right to modify, revise or change the above specifications without notice. This brochure is for descriptive purpose only and is based on the product as on the date of publication of this information.

© Copyright Buzon Pedestal International SA Buzon DPH® is a registered trade mark of Buzon Pedestal International SA

# **Buzon USA** West Projects



## **References**

- · Sun's Practice Facility Phoenix, AZ
- Sony Studio HQ Los Angeles, CA
- Apple Campus Palo Alto, CA
- Samsung HQ Palo Alto, CA
- Lucille Packard Children's Hospital Stanford, CA
- Haas School of Business UC Berkeley, CA
- IMAX Theater Nassau, NY
- Four Seasons Hotel Honolulu, HI
- Canal Street Rooftop Pool New Orleans, LA

- Smith Center Harvard University Cambridge, MA
- Microsoft Campus Redmond, WA
- The Dean Palo Alto, CA
- Nike Campus HQ Beaverton, OR
- Hoakalei CC Ewa Beach, HI
- Hilton Grand Islander Honolulu, HI
- Four Seasons Resort at Ko Olina Kapolei, HI
- One World Trade Center New York City, NY
- Wynn Resort & Casino Hotel Las Vegas, NV









sales@buzonusawest.com buzonpedestals.com